

American Journal of Physiology-

Renal Physiology

No. 1. JULY 2001

INVITED REVIEWS

- Physiological regulation of cyclooxygenase-2 in the kidney
R. C. Harris and M. D. Breyer F1
- Optimized suspension culture: the rotating-wall vessel
T. G. Hammond and J. M. Hammond F12
-
- Recovery after relief of fetal urinary obstruction: morphological, functional and molecular aspects
D. Edouga, B. Hugueny, B. Gasser, L. Bussières, and K. Laborde F26
- Mycophenolate mofetil prevents salt-sensitive hypertension resulting from nitric oxide synthesis inhibition
Y. Quiroz, H. Pons, K. L. Gordon, J. Rincón, M. Chávez, G. Parra, J. Herrera-Acosta, D. Gómez-Garre, R. Largo, J. Egido, R. J. Johnson, and B. Rodríguez-Iturbe F38
- Apical membrane of native OMCD_i cells has nonselective cation channels
S.-L. Xia, S.-H. Noh, J. W. Verlander, C. H. Gelband, and C. S. Wingo F48
- Renal apoptosis parallels ceramide content after prolonged ureteral obstruction in the neonatal rat
R. K. Malik, B. A. Thornhill, A. Y. Chang, S. C. Kiley, and R. L. Chevalier F56
- HGF promotes adhesion of ATP-depleted renal tubular epithelial cells in a MAPK-dependent manner
Z.-X. Liu, C. H. Nickel, and L. G. Cantley F62
- Delayed branching of endothelial capillary-like cords in glycated collagen I is mediated by early induction of PAI-1
J. Chen, S. Brodsky, H. Li, D. J. Hampel, T. Miyata, T. Weinstein, U. Gafter, J. T. Norman, L. G. Fine, and M. S. Goligorsky F71
- Atrial natriuretic peptide attenuates ANG II-induced hypertrophy of renal tubular cells
T. Hannken, R. Schroeder, R. A. K. Stahl, and G. Wolf F81
- cADP-ribose/ryanodine channel/Ca²⁺-release signal transduction pathway in mesangial cells
A. N. K. Yusufi, J. Cheng, M. A. Thompson, T. P. Dousa, G. M. Warner, H. J. Walker, and J. P. Grande F91
- Effects of filtration rate on the glomerular barrier and clearance of four differently shaped molecules
M. Ohlson, J. Sörensson, K. Lindström, A. M. Blom, E. Fries, and B. Haraldsson F103
- Functional characterization of basolateral and luminal dopamine receptors in rabbit CCD
O. Saito, Y. Ando, E. Kusano, and Y. Asano F114
- Effect of COX-2 inhibitor NS-398 on expression of PGE₂ receptor subtypes in M-1 mouse CCD cells
R. Nasrallah, O. Laneuville, S. Ferguson, and R. L. Hébert F123
- 97- and 117-kDa forms of collecting duct urea transporter UT-A1 are due to different states of glycosylation
A. D. Bradford, J. M. Terris, C. A. Ecelbarger, J. D. Klein, J. M. Sands, C.-L. Chou, and M. A. Knepper F133
- Evidence for endothelin involvement in the response to high salt
D. M. Pollock and J. S. Pollock F144

Angiotensin II activates the GFAT promoter in mesangial cells <i>L. R. James, A. Ingram, H. Ly, K. Thai, L. Cai, and J. W. Scholey</i>	F151
Downregulation of AQP1, -2, and -3 after ureteral obstruction is associated with a long-term urine-concentrating defect <i>C. Li, W. Wang, T.-H. Kwon, L. Isikay, J. G. Wen, D. Marples, J. C. Djurhuus, A. Stockwell, M. A. Knepper, S. Nielsen, and J. Frøkiær</i>	F163
α_1 -Adrenoceptor subtypes on rat afferent arterioles assessed by radioligand binding and RT-PCR <i>M. Salomonsson, M. Oker, S. Kim, H. Zhang, J. E. Faber, and W. J. Arendshorst</i>	F172
Tetrahydrobiopterin reverses the inhibition of nitric oxide by high glucose in cultured murine mesangial cells <i>S. S. Prabhakar</i>	F179

RAPID COMMUNICATION

Real-time profiling of kidney tubular fluid nitric oxide concentrations in vivo <i>D. Z. Levine, M. Iacovitti, K. D. Burns, and X. Zhang</i>	F189
---	------

No. 2. AUGUST 2001

EDITORIAL

The new editorial team's goal: make the best even better <i>J. M. Sands</i>	F195
--	------

INVITED REVIEW

The organic anion transporter family: from physiology to ontogeny and the clinic <i>D. H. Sweet, K. T. Bush, and S. K. Nigam</i>	F197
---	------

Effect of dietary K intake on apical small-conductance K channel in CCD: role of protein tyrosine kinase <i>Y. Wei, P. Bloom, D. Lin, R. Gu, and W. H. Wang</i>	F206
Cell surface expression and turnover of the α -subunit of the epithelial sodium channel <i>T. R. Kleyman, J. B. Zuckerman, P. Middleton, K. A. McNulty, B. Hu, X. Su, B. An, D. C. Eaton, and P. R. Smith</i>	F213
A numerical model of acid-base transport in rat distal tubule <i>H. Chang and T. Fujita</i>	F222
Regulation of ANP clearance receptors by EGF in mesangial cells from NOD mice <i>S. Placier, X. Bretot, N. Ardaillou, J.-C. Dussaule, and R. Ardaillou</i>	F244
Transport of $\text{NH}_3/\text{NH}_4^+$ in oocytes expressing aquaporin-1 <i>N. L. Nakhoul, K. S. Hering-Smith, S. M. Abdulnour-Nakhoul, and L. L. Hamm</i>	F255
Norepinephrine-induced calcium signaling pathways in afferent arterioles of genetically hypertensive rats <i>M. Salomonsson and W. J. Arendshorst</i>	F264
Independent organic cation transport activity of Na^+ -L-carnitine cotransport system in LLC-PK ₁ cells <i>S. Ohnishi, H. Saito, A. Fukada, and K.-I. Inui</i>	F273
K^+ -induced HSP-72 expression is mediated via rapid Ca^{2+} influx in renal epithelial cells <i>O. Eickelberg, J. Geibel, F. Seebach, G. Giebisch, and M. Kashgarian</i>	F280
Essential role of NHE3 in facilitating formate-dependent NaCl absorption in the proximal tubule <i>T. Wang, C.-L. Yang, T. Abbiati, G. E. Shull, G. Giebisch, and P. S. Aronson</i>	F288

Inducible nitric oxide synthase and glomerular hemodynamics in rats with liver cirrhosis <i>M. Porst, A. Hartner, H. Krause, K. F. Hilgers, and R. Veelken</i>	F293
Angiotensin II AT ₂ receptors inhibit growth responses in proximal tubule cells <i>J. Zimpelmann and K. D. Burns</i>	F300
Upregulated expression of human membrane type-5 matrix metalloproteinase in kidneys from diabetic patients <i>A. M. Romanic, C. L. Burns-Kurtis, Z. Ao, A. J. Arleth, and E. H. Ohlstein</i>	F309
Immunohistochemical localization of colonic H-K-ATPase to the apical membrane of connecting tubule cells <i>G. Fejes-Tóth and A. Náray-Fejes-Tóth</i>	F318
Specific association of nitric oxide synthase-2 with Rac isoforms in activated murine macrophages <i>T. Kuncewicz, P. Balakrishnan, M. B. Snuggs, and B. C. Kone</i>	F326
Role of megalin in renal handling of aminoglycosides <i>J. Nagai, H. Tanaka, N. Nakanishi, T. Murakami, and M. Takano</i>	F337
Embryonic origin and lineage of juxtaglomerular cells <i>M. L. S. Sequeira Lopez, E. S. Pentz, B. Robert, D. R. Abrahamson, and R. A. Gomez</i>	F345
Immunohistochemical localization of H-K-ATPase α_{2c} -subunit in rabbit kidney <i>J. W. Verlander, R. M. Moudy, W. G. Campbell, B. D. Cain, and C. S. Wingo</i>	F357
Increased CO ₂ stimulates K/Rb reabsorption mediated by H-K-ATPase in CCD of potassium-restricted rabbit <i>X. Zhou, S. Nakamura, S.-L. Xia, and C. S. Wingo</i>	F366

RAPID COMMUNICATION

Ezrin binding domain-deficient NHERF attenuates cAMP-mediated inhibition of Na ⁺ /H ⁺ exchange in OK cells <i>E. J. Weinman, D. Steplock, J. B. Wade, and S. Shenolikar</i>	F374
--	------

No. 3. SEPTEMBER 2001

INVITED REVIEWS

Mechanism of increased renal gene expression during metabolic acidosis <i>N. P. Curthoys and G. Gstraunthaler</i>	F381
Trafficking and cell surface stability of ENaC <i>D. Rotin, V. Kanelis, and L. Schild</i>	F391

Cloning and characterization of the human urea transporter UT-A1 and mapping of the human Slc14a2 gene <i>S. M. Bagnasco, T. Peng, M. G. Janech, A. Karakashian, and J. M. Sands</i>	F400
---	------

HISTORICAL PERSPECTIVE

Odd E. Hanssen and the Hanssen method for measurement of single-nephron glomerular filtration rate <i>K. Aukland</i>	F407
---	------

Mechanism underlying diuretic effect of L-NAME at a subpressor dose <i>M. Liang, T. J. Berndt, and F. G. Knox</i>	F414
Role of guanylyl cyclase and cytochrome P-450 on renal response to nitric oxide <i>B. López, C. Moreno, M. G. Salom, R. J. Roman, and F. J. Fenoy</i>	F420

Vitamin D reduces renal NaPi-2 in PTH-infused rats: complexity of vitamin D action on renal Pi handling <i>M. M. Friedlaender, H. Wald, M. Dranitzki-Elhalel, H. K. Zajicek, M. Levi, and M. M. Popovtzer</i>	F428
CFTR disruption impairs cAMP-dependent Cl ⁻ secretion in primary cultures of mouse cortical collecting ducts <i>M. Bens, J.-P. D. Van Huyen, F. Cluzeaud, J. Teulon, and A. Vandewalle</i>	F434
Collagen IV promotes repair of renal cell physiological functions after toxicant injury <i>P. A. Nony, G. Nowak, and R. G. Schnellmann</i>	F443
Interaction of cations, anions, and weak base quinine with rat renal cation transporter rOCT2 compared with rOCT1 <i>P. Arndt, C. Volk, V. Gorboulev, T. Budiman, C. Popp, I. Ulzheimer-Teuber, A. Akhounova, S. Koppatz, E. Bamberg, G. Nagel, and H. Koepsell</i>	F454
Distinct characteristics of two human Nedd4 proteins with respect to epithelial Na ⁺ channel regulation <i>E. Kamynina, C. Tauxe, and O. Staub</i>	F469
Transport of plasma proteins across vasa recta in the renal medulla <i>W. Zhang and A. Edwards</i>	
Ammonium interaction with the epithelial sodium channel <i>N. L. Nakhoul, K. S. Hering-Smith, S. M. Abdulnour-Nakhoul, and L. L. Hamm</i>	F493
Puromycin aminonucleoside damages the glomerular size barrier with minimal effects on charge density <i>C. Hjalmarsson, M. Ohlson, and B. Haraldsson</i>	F503
Quantification of TGF-β1 mRNA along rat nephron in obstructive nephropathy <i>K. Fukuda, K. Yoshitomi, T. Yanagida, M. Tokumoto, and H. Hirakata</i>	F513
p53 Protects renal inner medullary cells from hypertonic stress by restricting DNA replication <i>N. Dmitrieva, L. Michea, and M. Burg</i>	F522
Immunocytochemical localization of Na-K-ATPase α- and γ-subunits in rat kidney <i>R. K. Wetzel and K. J. Sreadner</i>	F531
SNAP-25-associated Hrs-2 protein colocalizes with AQP2 in rat kidney collecting duct principal cells <i>A. Shukla, H. Hager, T. J. Corydon, A. J. Bean, R. Dahl, Z. Vajda, H. Li, H. J. Hoffmann, and S. Nielsen</i>	F546

SPECIAL COMMUNICATIONS

Neurotransmitter-stimulated ion transport by cultured porcine vas deferens epithelium <i>R. L. Sedlacek, R. W. Carlin, A. K. Singh, and B. D. Schultz</i>	F557
In vivo visualization of characteristics of renal microcirculation in hypertensive and diabetic rats <i>T. Yamamoto, Y. Tomura, H. Tanaka, and F. Kajiya</i>	F571

No. 4 OCTOBER 2001

INVITED REVIEWS

Structural determinants of glomerular permeability <i>W. M. Deen, M. J. Lazzara, and B. D. Myers</i>	F579
Role of the extracellular cAMP-adenosine pathway in renal physiology <i>E. K. Jackson and R. K. Dubey</i>	F597

Activation of PKC-β _I in glomerular mesangial cells is associated with specific NF-κB subunit translocation <i>A. Kumar, K. S. Hawkins, M. A. Hannan, and M. B. Ganz</i>	F613
--	------

Hypokalemia induces renal injury and alterations in vasoactive mediators that favor salt sensitivity <i>S.-I. Suga, M. I. Phillips, P. E. Ray, J. A. Raleigh, C. P. Vio, Y.-G. Kim, M. Mazzali, K. L. Gordon, J. Hughes, and R. J. Johnson</i>	F620
Noninvasive measurement of concurrent single-kidney perfusion, glomerular filtration, and tubular function <i>J. D. Krier, E. L. Ritman, Z. Bajzer, J. C. Romero, A. Lerman, and L. O. Lerman</i>	F630
Increased renal Na-K-ATPase, NCC, and β -ENaC abundance in obese Zucker rats <i>C. A. Bickel, J. G. Verbalis, M. A. Knepper, and C. A. Ecelbarger</i>	F639
C/EBP β contributes to cAMP-activated transcription of phosphoenolpyruvate carboxykinase in LLC-PK ₁ -F ⁺ cells <i>X. Liu, Q.-T. Wall, L. Taylor, and N. P. Curthoys</i>	F649
CaR-mediated COX-2 expression in primary cultured mTAL cells <i>D. Wang, S.-J. An, W.-H. Wang, J. C. McGiff, and N. R. Ferreri</i>	F658
Genetic disruption of atrial natriuretic peptide receptor-A alters renin and angiotensin II levels <i>S.-J. Shi, H. T. Nguyen, G. D. Sharma, L. G. Navar, and K. N. Pandey</i>	F665
Na-K-ATPase activity decreases with aging in female rat brain synaptosomes <i>C. L. Fraser and A. I. Arieff</i>	F674
α_2 -Adrenergic-mediated tubular NO production inhibits thick ascending limb chloride absorption <i>C. F. Plato and J. L. Garvin</i>	F679
Modulation of aldosterone-induced stimulation of ENaC synthesis by changing the rate of apical Na ⁺ entry <i>L. Dijkink, A. Hartog, C. H. Van Os, and R. J. M. Bindels</i>	F687
Rapamycin impairs recovery from acute renal failure: role of cell-cycle arrest and apoptosis of tubular cells <i>W. Lieberthal, R. Fuhrer, C. C. Andry, H. Rennke, V. E. Abernathy, J. S. Koh, R. Valeri, and J. S. Levine</i>	F693
Localization and functional characterization of Na ⁺ /H ⁺ exchanger isoform NHE4 in rat thick ascending limbs <i>R. Chambrey, P. L. St. John, D. Eladari, F. Quentin, D. G. Warnock, D. R. Abrahamson, R.-A. Podevin, and M. Paillard</i>	F707
Renal salt wasting in mice lacking NHE3 Na ⁺ /H ⁺ exchanger but not in mice lacking NHE2 <i>C. Ledoussal, J. N. Lorenz, M. L. Nieman, M. Soleimani, P. J. Schultheis, and G. E. Shull</i>	F718
Calpains mediate acute renal cell death: role of autolysis and translocation <i>X. Liu, J. J. Rainey, J. F. Harriman, and R. G. Schnellmann</i>	F728
LRP: a new adhesion molecule for endothelial and smooth muscle cells <i>C. Hu, J. A. Oliver, M. R. Goldberg, and Q. Al-Awqati</i>	F739
Mechanical strains induced by tubular flow affect the phenotype of proximal tubular cells <i>M. Essig, F. Terzi, M. Burtin, and G. Friedlander</i>	F751
Detection and localization of H ⁺ -K ⁺ -ATPase isoforms in human kidney <i>J. A. Kraut, K. G. Helander, H. F. Helander, N. D. Iroezi, E. A. Marcus, and G. Sachs</i>	F763

RAPID COMMUNICATION

CD2AP and p130Cas localize to different F-actin structures in podocytes <i>T. Welsch, N. Endlich, W. Kriz, and K. Endlich</i>	F769
--	------

ANNOUNCEMENT

F778

EDITORIAL

Ethics, revisited
D. Benos

F779

INVITED REVIEW

Alternative splicing and diversity of renal transporters
G. Gamba

F781

Targeted disruption of the bradykinin B₂ receptor gene in mice alters the ontogeny of the renin-angiotensin system

I. V. Yosipiv, S. Dipp, and S. S. El-Dahr

F795

Simvastatin reverses impaired regulation of renal oxygen consumption in congestive heart failure

S. Adler, H. Huang, J. N. Trochu, X. Xu, S. Gupta, and T. H. Hintze

F802

Rho-kinase regulates myosin II activation in MDCK cells during recovery after ATP depletion

T. A. Sutton, H. E. Mang, and S. J. Atkinson

F810

NO decreases thick ascending limb chloride absorption by reducing Na⁺-K⁺-2Cl⁻ cotransporter activity

P. A. Ortiz, N. J. Hong, and J. L. Garvin

F819

Adenosine A_{2A} and A_{2B} receptor activation of erythropoietin production

J. W. Fisher and J. Brookins

F826

ATP inhibits Mg²⁺ uptake in MDCT cells via P2X purinoceptors

L.-J. Dai, H. S. Kang, D. Kerstan, G. Ritchie, and G. A. Quamme

F833

Complement C5b-9 induces cyclooxygenase-2 gene transcription in glomerular epithelial cells

T. Takano, A. V. Cybulsky, X. Yang, and L. Aoudjit

F841

Mechanism of heme oxygenase-1 gene induction by curcumin in human renal proximal tubule cells

N. Hill-Kapturczak, V. Thamilselvan, F. Liu, H. S. Nick, and A. Agarwal

F851

Effects of plasma proteins on sieving of tracer macromolecules in glomerular basement membrane

M. J. Lazzara and W. M. Deen

F860

Bufo marinus bladder H-K-ATPase carries out electroneutral ion transport

M. Burnay, G. Crambert, S. Kharoubi-Hess, K. Geering, and J.-D. Horisberger

F869

Expression of the urate transporter/channel is developmentally regulated in human kidneys

D. P. Hyink, J. Z. Rappoport, P. D. Wilson, and R. G. Abramson

F875

Renal ischemic injury results in permanent damage to peritubular capillaries and influences long-term function

D. P. Basile, D. Donohoe, K. Roethe, and J. L. Osborn

F887

Transcriptional regulation of heme oxygenases by HIF-1 α in renal medullary interstitial cells

Z.-Z. Yang and A.-P. Zou

F890

Effects of all-trans retinoic acid on renin-angiotensin system in rats with experimental nephritis

C. Dechow, C. Morath, J. Peters, I. Lehrke, R. Waldherr, V. Haxsen, E. Ritz, and J. Wagner

F909

Immunolocalization of electrogenic sodium-bicarbonate cotransporters pNBC1 and kNBC1 in the rat eye

D. Bok, M. J. Schibler, A. Pushkin, P. Sassani, N. Abuladze, Z. Naser, and I. Kurtz

F920

Autoradiographic analysis and regulation of angiotensin receptor subtypes AT ₄ , AT ₁ , and AT ₍₁₋₇₎ in the kidney <i>R. K. Handa, S. E. Handa, and M. K. S. Elgemark</i>	F936
Oxidative and nitrosative stress in acute renal ischemia <i>E. Noiri, A. Nakao, K. Uchida, H. Tsukahara, M. Ohno, T. Fujita, S. Brodsky, and M. S. Goligorsky</i>	F948
AQP2 is a substrate for endogenous PP2B activity within an inner medullary AKAP-signaling complex <i>I. Jo, D. T. Ward, M. A. Baum, J. D. Scott, V. M. Coghill, T. G. Hammond, and H. W. Harris</i>	F958
Claudin-2 is selectively expressed in proximal nephron in mouse kidney <i>A. H. Enck, U. V. Berger, and A. S. L. Yu</i>	F966
Role of COX-2-derived metabolites in regulation of the renal hemodynamic response to norepinephrine <i>M. T. Llinás, R. López, F. Rodríguez, F. Roig, and F. J. Salazar</i>	F975
Urea and hypertonicity increase expression of heme oxygenase-1 in murine renal medullary cells <i>W. Tian, H. L. Bonkovsky, S. Shibahara, and D. M. Cohen</i>	F983

LETTERS TO THE EDITOR

Charge Selectivity is a Concept That Has Yet to be Demonstrated <i>W. D. Comper, B. Haraldsson, M. Ohlson, and J. Sörensson</i>	F992
--	------

No. 6. DECEMBER 2001

INVITED REVIEW

Heteromeric amino acid transporters: biochemistry, genetics, and physiology <i>J. Chillarón, R. Roca, A. Valencia, A. Zorzano, and M. Palacín</i>	F995
--	------

COMMENTARY

Distribution of transporters along the mouse distal nephron: something old, something borrowed, something new <i>J. B. Wade</i>	F1019
--	-------

Distribution of transcellular calcium and sodium transport pathways along mouse distal nephron <i>J. Loffing, D. Loffing-Cueni, V. Valderrabano, L. Kläusli, S. C. Hebert, B. C. Rossier, J. G. J. Hoenderop, R. J. M. Bindels, and B. Kaissling</i>	F1021
Localization of thiazide-sensitive Na ⁺ -Cl ⁻ cotransport and associated gene products in mouse DCT <i>V. Câmpean, J. Kricke, D. Ellison, F. C. Luft, and S. Bachmann</i>	F1028
Peroxisome proliferator-activated receptor-γ activity is associated with renal microvasculature <i>Y. Guan, Y. Zhang, A. Schneider, L. Davis, R. M. Breyer, and M. D. Breyer</i>	F1036
Immunolocalization of aquaporin-8 in rat kidney, gastrointestinal tract, testis, and airways <i>M.-L. Elkjær, L. N. Nejsum, V. Gresz, T.-H. Kwon, U. B. Jensen, J. Frøkjær, and S. Nielsen</i>	F1047
Metabolic, but not respiratory, acidosis increases bone PGE ₂ levels and calcium release <i>D. A. Bushinsky, W. R. Parker, K. M. Alexander, and N. S. Krieger</i>	F1058
cGMP abolishes agonist-induced [Ca ²⁺] _i oscillations in human bladder epithelial cells <i>H. Y. Kwan, Y. Huang, S. K. Kong, and X. Yao</i>	F1067

Extracellular nucleotides regulate cellular functions of podocytes in culture <i>K.-G. Fischer, U. Saueressig, C. Jacobshagen, A. Wichelmann, and H. Pavenstädt</i>	F1075
Murine and human type I Na-phosphate cotransporter genes: structure and promoter activity <i>Y. Soumounou, C. Gauthier, and H. S. Tenenhouse</i>	F1082
Rho inhibits cAMP-induced translocation of aquaporin-2 into the apical membrane of renal cells <i>G. Tamma, E. Klussmann, K. Maric, K. Aktories, M. Svelto, W. Rosenthal, and G. Valenti</i>	F1092
Nystatin and valinomycin induce tubuloglomerular feedback <i>Y. Ren, H. Yu, H. Wang, O. A. Carretero, and J. L. Garvin</i>	F1102
Upregulation of H ⁺ -peptide cotransporter PEPT2 in rat remnant kidney <i>K. Takahashi, S. Masuda, N. Nakamura, H. Saito, T. Futami, T. Doi, and K.-I. Inui</i>	F1109
Role of NHE isoforms in mediating bicarbonate reabsorption along the nephron <i>T. Wang, M. Hropot, P. S. Aronson, and G. Giebisch</i>	F1117
Food restriction prevents age-related polyuria by vasopressin-dependent recruitment of aquaporin-2 <i>S. Combet, L. Teillet, G. Geelen, B. Pitrat, R. Gobin, S. Nielsen, M.-M. Trinh-Trang-Tan, B. Cormann, and J.-M. Verbavatz</i>	F1123
Endothelin resets renal blood flow autoregulatory efficiency during acute blockade of NO in the rat <i>R. Kramp, P. Fourmanoir, and N. Caron</i>	F1132
Adenosine modulates Mg ²⁺ uptake in distal convoluted tubule cells via A ₁ and A ₂ purinoceptors <i>H. S. Kang, D. Kerstan, L.-J. Dai, G. Ritchie, and G. A. Quamme</i>	F1141
EEG1, a putative transporter expressed during epithelial organogenesis: comparison with embryonic transporter expression during nephrogenesis <i>R. O. Stuart, A. Pavlova, D. Beier, Z. Li, Y. Krijanovski, and S. K. Nigam</i>	F1148
Crescentic glomerulonephritis is diminished in fibrinogen-deficient mice <i>A. F. Drew, H. L. Tucker, H. Liu, D. P. Witte, J. L. Degen, and P. G. Tipping</i>	F1157

SPECIAL COMMUNICATION

Tetracycline-inducible gene expression in cultured rat renal CD cells and in intact CD from transgenic mice <i>S. Puttini, A. T. Beggah, A. Ouvrard-Pascaud, C. Legris, M. Blot-Chabaud, N. Farman, and F. Jaisser</i>	F1164
--	-------

RAPID COMMUNICATION

Urogenital distribution of a mouse membrane-associated prostaglandin E ₂ synthase <i>Y. Guan, Y. Zhang, A. Schneider, D. Riendeau, J. A. Mancini, L. Davis, M. Kömhoff, R. M. Breyer, and M. D. Breyer</i>	F1173
--	-------

